



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@lateesting.com

LA Testing Order: 332321471

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID:

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/14/2023 16:45 PM

Analysis Date: 12/16/2023 - 12/19/2023

Collected Date: 12/14/2023

Project: 240054LA / YORKE ENVIRONMENTAL SERVICES - SAN CARLO-15 SAN CARLO, IRVINE, CA 92614

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231214-SC-01A	EAST SIDE AREA NEAR PLAYGROUND	1300.00	0.0600	0	None Detected	0	0	0.0049	<17.00	<0.0049
332321471-0001										
231214-SC-02A	WEST SIDE AREA NEAR STREET	1300.00	0.0600	0	None Detected	0	0	0.0049	<17.00	<0.0049
332321471-0002										
231214-SC-03A	NORTHWEST SIDE AREA	1300.00	0.0600	0	None Detected	0	0	0.0049	<17.00	<0.0049
332321471-0003										
231214-SC-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321471-0004										

Analyst(s)

Mindy Le (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Report amended: 12/19/2023 11:58 AM Replaces amended report from: 12/16/2023 09:27 AM Reason Code: Client-Samples Added



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@lateesting.com

LA Testing Order: 332321472

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID:

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/14/2023 16:45 PM

Analysis Date: 12/16/2023 - 12/19/2023

Collected Date: 12/14/2023

Project: 240054LA / YORKE ENVIRONMENTAL SERVICES / HARVARD COM PARK-14701 HARVARD AVE, IRVINE, CA 92606

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231214-HC-01A	NORTHWEST SIDE OF VENDING MACHINE	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
332321472-0001										
231214-HC-02A	EAST SIDE AREA	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
332321472-0002										
231214-HC-03A	SOUTHSIDE AREA BY WINDOW	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
332321472-0003										
231214-HC-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321472-0004										

Analyst(s)

Mindy Le (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Report amended: 12/19/2023 12:17 PM Replaces amended report from: 12/16/2023 10:16 AM Reason Code: Client-Samples Added



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@lateesting.com

LA Testing Order: 332321473

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID:

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/14/2023 16:45 PM

Analysis Date: 12/16/2023 - 12/19/2023

Collected Date: 12/14/2023

Project: 240054LA / YORKE ENVIRONMENTAL SERVICES - SWEET SHADE PARK-15 SWEET SHADE, IRVINE, CA 92606

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231214-SS-01A 332321473-0001	SOUTHEAST AREA	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
231214-SS-02A 332321473-0002	NORTHSIDE AREA, CENTER	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
231214-SS-03A 332321473-0003	WESTSIDE AREA	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
231214-SS-04A 332321473-0004	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A

Analyst(s)

Mindy Le (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm3 are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Report amended: 12/19/2023 12:29 PM Replaces amended report from: 12/16/2023 14:35 PM Reason Code: Client-Samples Added



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@lateesting.com

LA Testing Order: 332321474

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID:

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/14/2023 16:45 PM

Analysis Date: 12/16/2023 - 12/19/2023

Collected Date: 12/14/2023

Project: 240054LA / YORKE ENVIRONMENTAL SERVICES - FLAGSTONE PARK-21 FLAGSTONE DR., IRVINE, CA 92606

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231214-FS-01A 332321474-0001	SOUTHWEST SIDE AREA	1400.00	0.0600	0	None Detected	0	0	0.0046	<17.00	<0.0046
231214-FS-02A 332321474-0002	NORTHEAST SIDE AREA	1400.00	0.0600	0	None Detected	0	0	0.0046	<17.00	<0.0046
231214-FS-03A 332321474-0003	SOUTHEAST SIDE AREA	1400.00	0.0600	0	None Detected	0	0	0.0046	<17.00	<0.0046
231214-FS-04A 332321474-0004	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A

Analyst(s)

Mindy Le (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Report amended: 12/19/2023 12:38 PM Replaces amended report from: 12/16/2023 15:08 PM Reason Code: Client-Samples Added



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@lateesting.com

LA Testing Order: 332321475

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID:

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/14/2023 16:45 PM

Analysis Date: 12/16/2023 - 12/19/2023

Collected Date: 12/14/2023

Project: 240054LA / YORKE ENVIRONMENTAL SERVICES - COL. BILL BARBER MARINE CORPS MEMORIAL 4
CIVIC CENTER PLAZA, IRVINE, CA 92606

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231214-BB-01A	NORTHEAST AREA OF FIELD	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
332321475-0001										
231214-BB-02A	SOUTHSIDE AREA NEAR STEPS	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
332321475-0002										
231214-BB-03A	SOUTHWEST SIDE AREA	1200.00	0.0720	0	None Detected	0	0	0.0045	<14.00	<0.0045
332321475-0003										
231214-BB-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321475-0004										

Analyst(s)

Mindy Le (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Report amended: 12/19/2023 12:47 PM Replaces amended report from: 12/16/2023 15:34 PM Reason Code: Client-Samples Added



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@lateesting.com

LA Testing Order: 332321476

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID:

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/14/2023 16:45 PM

Analysis Date: 12/16/2023 - 12/19/2023

Collected Date: 12/14/2023

Project: 240054LA / YORKE ENVIRONMENTAL SERVICES - COLLEGE PARK-14471 MAYTEN AVE, IRVINE, CA 92606

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231214-CP-01A	NORTHEAST SIDE NEXT TO BENCH	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321476-0001										
231214-CP-02A	NORTHSIDE NEXT TO WATER FOUNTAIN	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321476-0002										
231214-CP-03A	NORTHWEST SIDE OF WATER FOUNTAIN	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321476-0003										
231214-CP-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321476-0004										

Analyst(s)

Mindy Le (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Report amended: 12/19/2023 12:57 PM Replaces amended report from: 12/16/2023 11:06 AM Reason Code: Client-Samples Added



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@latesting.com

LA Testing Order: 332321702

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID: 240054LA

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/20/2023 10:45 AM

Analysis Date: 12/20/2023 - 12/21/2023

Collected Date: 12/20/2023

Project: 240054LA (240054LA)

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231220-PP-01A	SOUTHEAST SIDE AREA OF RESTROOM	1250.00	0.0720	0	None Detected	0	0	0.0043	<14.00	<0.0043
332321702-0001										
231220-PP-02A	EASTSIDE AREA OF PICNIC BENCH	1250.00	0.0720	0	None Detected	0	0	0.0043	<14.00	<0.0043
332321702-0002										
231220-PP-03A	SOUTHSIDE AREA OF PICNIC BENCH	1250.00	0.0720	0	None Detected	0	0	0.0043	<14.00	<0.0043
332321702-0003										
231220-PP-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321702-0004										

Analyst(s)

Jeffrey Deboo (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Initial report from: 12/21/2023 07:15 AM



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@latesting.com

LA Testing Order: 332321703

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID: 240054LA

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/20/2023 10:45 AM

Analysis Date: 12/21/2023

Collected Date: 12/20/2023

Project: 240054LA (240054LA)

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231220-SM-01A	NORTHWEST AREA OF RESTROOM	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321703-0001										
231220-SM-02A	NORTHSIDE OF PICNIC AREA	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321703-0002										
231220-SM-03A	NORTHEAST SIDE OF PICNIC AREA	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321703-0003										
231220-SM-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321703-0004										

Analyst(s)

Jeffrey Deboo (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Initial report from: 12/21/2023 07:46 AM



LA Testing

5431 Industrial Drive Huntington Beach, CA 92649

Tel/Fax: (714) 828-4999 / (714) 828-4944

<http://www.LATesting.com> / hblab@latesting.com

LA Testing Order: 332321704

Customer ID: 32HEAL56

Customer PO: 240054LA

Project ID: 240054LA

Attention: Joel Berman
Health Science Associates
10771 Noel Street
Los Alamitos, CA 90720

Phone: (714) 220-3922

Fax:

Received Date: 12/20/2023 10:45 AM

Analysis Date: 12/21/2023

Collected Date: 12/20/2023

Project: 240054LA / SAN LEANDRO PARK (240054LA)

Test Report: Asbestos Fiber Analysis by Transmission Electron Microscopy (TEM) Performed by EPA 40 CFR Part 763 Appendix A to Subpart E

Sample	Location	Volume (Liters)	Area Analyzed (mm ²)	Non Asb	Asbestos Type(s)	#Structures		Analytical Sensitivity (S/cc)	Asbestos Concentration	
						≥0.5μ < 5μ	≥5μ		(S/mm ²)	(S/cc)
231220-SL-01A	SOUTHSIDE OF RESTROOM	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321704-0001										
231220-SL-02A	SOUTHSIDE AREA NEAR BASEBALL FIELD	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321704-0002										
231220-SL-03A	SOUTHWEST AREA OF FIELD	1220.00	0.0720	0	None Detected	0	0	0.0044	<14.00	<0.0044
332321704-0003										
231220-SL-04A	FIELD BLANK	0.00	0.1200	0	None Detected	0	0	N/A	<8.30	N/A
332321704-0004										

Analyst(s)

Jeffrey Deboo (4)

Michael Chapman, Laboratory Manager
or other approved signatory

LA Testing maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by LA Testing. LA Testing bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. Results reported in structures/cm³ are not covered by the laboratory's NVLAP accreditation. Measurement of uncertainty available upon request.

Samples analyzed by LA Testing Huntington Beach, CA NVLAP Lab Code 101384-0

Initial report from: 12/21/2023 08:57 AM